


**NOTES:**

1 REFER TO PAGE 10, FIG. C1.5, UNDER UL1681, AND CLAUSE 4.12.2 IN CSA C22.2 WHICH REFERENCES NEMA WD-16-1988.



**BILL OF MATERIAL**

**STRIP ASSEMBLY**


ITEM	PART NUMBER	DESC.	REQ'D
1	5831	186-18-MB-R/L	1
2	S7760	5-15P MB BLK.	1
3	S5431	110-7-SP-R/L	1
4	S5432	110-7-SP-L/R	1

**BULK ASSEMBLY**

ITEM	PART NUMBER	DESC.	REQ'D
1	5832	186-18-MB-BULK	1
2	S7760	5-15P MB BLK.	1
3	S5433	110-7-SP-R/L	2

TOLERANCE UNLESS OTHERWISE SPECIFIED: .XX ± .010 .XXX ± .005 ANGULAR ± 2°

.050 REC. OVERMOLD THICKNESS ON FACE



LS-91824

PATENT PENDING

**MATERIAL:**

**FINISH:**

**THICKNESS:**



HEVCO PRODUCTS, INC.  
TOMS RIVER, NEW JERSEY

DESCRIPTION: CATALOG DRAWING

5400-270

5-15P MB BLK-7 18-14G

WIRE RANGE: 18-14

WIRE STRIP LENGTH: .25

S7562

PART No.

REV.: F

HEVCO PRODUCTS, INC. claims proprietary rights to the material disclosed herein. This drawing and/or technical information is the property of HEVCO PRODUCTS, INC. It is issued in confidence for use only as authorized, and may not be reproduced or described or shown to others without written permission from HEVCO PRODUCTS, INC.