Hy-Lok DV Series

Diaphragm Valves

Catalog No. H-DV100 Aug, 2006



Design & Engineering

- 316L VIM / VAR
- Low and High Pressure Model
- ZCR, Tube Butt Weld, and Hy-Lok Tube End Connections
- Manual Handle or Pneumatic Actuator
- 100% Helium Leak Tested

Application

- Ultrahigh Purity Process
- Semiconductor
- Biotech
- Pharmaceutical









Diaphragm Valves

Features

Body

- 316L VIM / VAR Stainless Steel
- Minimum dead space
- Maximum flow capacity
- Electro polishing processing

Diaphragm

- Elgiloy® material
- Excellent corrosion resistance
- Electro polishing processing
- Long cycle life



Seat

- Excellent chemical resistance
- Low coefficient for thermal expansion
- Minimum particle of contamination
- Long cycle life

Manual Handle and Pneumatic Actuators

Manual Handle

- 1/4" size is quick, quarter-turn actuation and 1/2" and 3/4" size is half-turn actuation
- Low pressure model are applicable blue color handle
- High pressure model are applicable white color handle
- Visually OPEN and CLOSE positions confirm by handle window
- This handle are available on low and high pressure model



Pneumatic Actuator


- Low pressure model
- Max. working pressure: 250 psig (17.2 barg)
- Flow coefficient: 0.27
- Actuation pressure : 60~100psig(4.2~8.2barg)



- High pressure model
- Max. working pressure: 3,000 psig (207 barg)
- Flow coefficient: 0.2
- Actuation pressure : 70~100psig(4.9~8.2barg)



Materials of Construction



Low	Pressure	Model	

			Material / ASTI	M Specification		
No.	Parts	Manual	Handle	Pneumatic Actuator		
		Low Pressure	High Pressure	Low Pressure	High Pressure	
* 1	Body		316L VIM / A479	Stainless Steel		
* 2	Seat		PCTFE	/ D1430		
* 3	Diaphragm		Elgiloy® /	AMS5876		
4	Support Diaphragm		Elgiloy® /	AMS5876		
5	Stem Button	Sil	ver Plated Stainle	ess Steel 316 / A4	79	
6	Stem	Silver Plated Stainless Steel 316 / A479				
7	Disc Washer	-	- S17700		S17700	
8	O-Ring	VITO	[®] NC	-		
9	Bonnet		Stainless Ste	el 316 / A479		
10	Bonnet Nut		Stainless Ste	el 316 / A479		
11	Pannel Nut	Stainless Ste	el 316 / A479		-	
12	Indicator	Stainless Ste	el 316 / A479		-	
13	Handle	Alum	inum		-	
14	Handle Cap	NYI	_ON		-	
15	Set Screw (2)	Stainless	Steel 304		-	
	Housing, Cap, Pistons		-	Alum	inum	
	Piston O-Ring		-	NBR		
	Piston Spring		-	S17	700	

- " * " marked are wetted parts
- O-Rings are lubricated, wetted parts are not lubricated

Specification

Model	Size	Pressure Rating psig (barg)	Temp. Rating °F (°C)	Flow Coefficient Cv	Orifice in. (mm)
	1/4"	250 (17)	-10 ~ 150 (-23 ~ 65)	0.27	0.16 (4.1)
Low Pressure	1/2"			0.7	0.27 (7.0)
	3/4"			0.7	0.27 (1.0)
High Pressure	1/4"	3,000 (207)		0.2	0.16 (4.1)

Internal Surface Grade

Grade	Designator	Roughness Average Ra. (E.P)	Packing Standard Class 10
High	Н	0.13 μ m (5 μ in)	Double
Super	S	0.1 μ m (4 μ in)	Triple

Grade "High" is standard.

Cleaning

Passivation is done at Nitrogen environment. Fine cleaning is done by Ultra-sonic cleansing with resistivity over 18M Ω D.I water after finishing the passivation.

Assembly, Testing & Packaging

Assembly, Testing and Packaging is performed in the clean room of Class 10. Inboard helium leak tested to a rate of 1 x 10⁻⁹ cm³/s.


Valves are packed with anti-static polyethylene bag that is pressured into the high purity nitrogen gas.

Dimensions

All dimensions are in inches(millimeters) and for reference only. In case of the end connection for Hy-Lok tube fitting, dimensions shown with Hy-Lok nuts in finger-tight position, where applicable.

Low Pressure Models

Manual Handle




Upper (Handle Operating)





10-





Hy-Lok Tube


Female ZCR

Rotatable Male ZCR

End Connection	Ordering No.	O.D	L	H1	Н	D	Р	E
	DVVM-4	1/4"	2.30 (58.4)	0.44 (11.2)	2.84 (72.1)	1.58 (40.0)	0.24 (6.0)	0.79 (20.0)
Male ZCR Fitting	DVVM-8	1/2"	2.99 (76.0)	0.63 (16.0)	3.16 (80.2)	2.17 (55.0)	0.27 (7.0)	0.91 (23.1)
	DVVM-12	3/4"	3.47 (88.1)	0.87 (22.0)	3.67 (93.1)	2.56 (65.0)	0.27 (7.0)	0.91 (23.1)
Tube Butt Weld	DVBW-4	1/4"	1.74 (44.2)	0.44 (11.2)	2.84 (72.1)	1.58 (40.0)	0.24 (6.0)	0.79 (20.0)
(Tube wall, 0.035 in.)	DVBW-8	1/2"	2.68 (68.0)	0.63 (16.0)	3.16 (80.2)	2.17 (55.0)	0.27 (7.0)	0.91 (23.1)
(Tabe wall, 0.000 III.)	DVBW-12	3/4"	2.90 (73.6)	0.87 (22.0)	3.67 (93.1)	2.56 (65.0)	0.27 (7.0)	0.91 (23.1)
	DVH-4	1/4"	2.45 (62.2)	0.44 (11.2)	2.84 (72.1)	1.58 (40.0)	0.24 (6.0)	0.79 (20.0)
Hy-Lok Tube Fitting	DVH-8	1/2"	3.14 (79.8)	0.63 (16.0)	3.16 (80.2)	2.17 (55.0)	0.27 (7.0)	0.91 (23.1)
	DVH-12	3/4"	3.18 (80.8)	0.87 (22.0)	3.67 (93.1)	2.56 (65.0)	0.27 (7.0)	0.91 (23.1)
	DVVF-4	1/4"	2.78 (70.6)	0.44 (11.2)	2.84 (72.1)	1.58 (40.0)	0.24 (6.0)	0.79 (20.0)
Female ZCR Fitting	DVVF-8	1/2"	3.27 (83.0)	0.63 (16.0)	3.16 (80.2)	2.17 (55.0)	0.27 (7.0)	0.91 (23.1)
	DVVF-12	3/4"	4.17 (106.0)	0.87 (22.0)	3.67 (93.1)	2.56 (65.0)	0.27 (7.0)	0.91 (23.1)
Rotatable Male	DVRM-4	1/4"	2.78 (70.6)	0.44 (11.2)	2.84 (72.1)	1.58 (40.0)	0.24 (6.0)	0.79 (20.0)
ZCR Fitting	DVRM-8	1/2"	3.27 (83.0)	0.63 (16.0)	3.16 (80.2)	2.17 (55.0)	0.27 (7.0)	0.91 (23.1)
ZCK Fitting	DVRM-12	3/4"	4.17 (106.0)	0.87 (22.0)	3.67 (93.1)	2.56 (65.0)	0.27 (7.0)	0.91 (23.1)

Handle color for Low pressure model is blue.

Pneumatic Actuator




Ordering No.	O.D	Description	PH	PD
DVVM - 4 - PC	1/4"		3.38 (85.9)	1.50 (38.0)
DVVM - 8 - PC	1/2"	Normally Close	3.69 (93.7)	1.77 (45.0)
DVVM - 12 - PC	3/4"		4.08 (103.8)	1.77 (45.0)
DVVM - 4 - PO	1/4"		3.38 (85.9)	1.50 (38.0)
DVVM - 8 - PO	1/2"	Normally Open	3.69 (93.7)	1.77 (45.0)
DVVM - 12 - PO	3/4"		4.08 (103.8)	1.77 (45.0)

For end connection types and dimensions are same as Manual Handle.

Bottom (Mounting)

O.D	C1	C2	PCD
1/4"	1.06 (26.9)	1.06 (26.9)	1.00 (25.4)
1/2"	1.42 (36.0)	1.32 (33.5)	1.10 (28.0)
3/4"	1.46 (37.0)	1.46 (37.0)	1.10 (28.0)

All end connections for each O.D size is same bottom mounting.




Dimensions


All dimensions are in inches(millimeters) and for reference only. In case of the end connection for Hy-Lok tube fitting, dimensions shown with Hy-Lok nuts in finger-tight position, where applicable.

High Pressure Models

Manual Handle




Upper (Handle Operating)



End Connection	Ordering No.	O.D	L	H1	Н	D	Р	E
Male ZCR Fitting	DVHPVM-4		2.30 (58.4)					
Tube Butt Weld (Tube wall, 0.035 in.)	DVHPBW-4		1.74 (44.2)					
Hy-Lok Tube Fitting	DVHPH-4	1/4"	2.45 (62.2)	0.44 (11.2)	2.84 (72.1)	1.58 (40.0)	0.24 (6.0)	0.79 (20.0)
Female ZCR Fitting	DVHPVF-4							
Rotable Male ZCR Fitting	DVHPRM-4		2.78 (70.6)					

Handle color for high pressure model is white.


Pneumatic Actuator



Ordering No.	O.D	Description	PH	PD
DVHPVM - 4 - PC	1/4"	Normally Close	3.89 (98.8)	2.48 (63.0)
DVHPVM - 4 - PO	1/4"	Normally Open	3.09 (90.0)	2.40 (63.0)

For end connection types and dimensions are same as Manual Handle.

Bottom (Mounting)



All end connections for each O.D size is same bottom mounting.

Multiport Diaphragm Valves

To customize this model to meet your system requirements, select designators for :

- multiport flow path
- end connector for each port
- internal surface grade
- manual handle or pneumatic actuator


Multiport Flow Path

	port i io	w i atii		
Ports	Designator	Schematic	Flow	Path
No.	Designator		Close	Open
4	L	1 2	1b 2b 3a	1b 2b 3a
_	N	1 2	1b 2b	1b 2b
	С	1 2	1b2b	1b 2b
	E	1 2	1b 2a	1b 2a
3	R	1 2	1b 2b 3a	1b 2b 3a
	Т	1 2	1a2a	1a 2a
	Y	1 2	1b 2a 3a	1b 2a 3a
	J	1	1b 4a	1b 4a
2	Q	0-⊳⊲ 2 5	2a 5b	5b 2a
	U	1 5	1b 3a	1b 3a



Dimension

All dimensions are in inches(millimeters) and for reference only. In case of the end connection for Hy-Lok tube fitting, dimensions shown with Hy-Lok nuts in finger-tight position, where applicable.



End Connection	O.D	L	М	
Tube Butt Weld (Tube wall, 0.035 in.)	1/4"	0.87 (22.1)	0.76 (19.3)	
Female ZCR Fitting	1/4	4.20 (25.2)	4 62 (44 4)	
Rotatable Male ZCR Fitting		1.39 (35.3)	1.63 (41.4)	

- The end connection designators are reference on page 8.
- The dimension of four bottom mounting holes are same as standard 2 port valve body on page 4.
- The flow path designator "Q" is no mounting holes.
- The flow path is shown as viewed from the top of the valve body.
- The "a" next to the port number indicate that a port is above the valve seat.
- The "b" next to the port number indicate that a port is below the valve seat.

Example Ordering Information

Ordering No.	DVLMFMF-4-H	DVHPCFWF-4-H	DVJWW-4-PC-H	
Material	316L VIM / VAR Stainless Steel			
Model Series	Low Pressure, 1/4"	High Pressure, 1/4"	Low Pressure, 1/4"	
Flow Path	4 ports, L	3 ports, C	2 ports, J	
Port No. 1 End Connection	Rotatable Male ZCR Fitting	Female ZCR Fitting	Tube Butt Weld	
Port No. 2 End Connection	Female ZCR Fitting	Tube Butt Weld	-	
Port No. 3 End Connection	Rotatable Male ZCR Fitting	Female ZCR Fitting	-	
Port No. 4 End Connection	Female ZCR Fitting	-	Tube Butt Weld	
Actuation Method	Manual Handle, Color Blue	Manual Handle, Color White	Normally Close	

Manifolds Diaphragm Valves

To customize this model to meet your system requirements, select designators for : manifold flow path $\,$

end connector for each port

internal surface grade

manual handle or pneumatic actuator

Manifold Flow Path

mannola i low i atti				
Manifold	Designator	Schematic	Flow Path	
2 Valve &	M1	P1 V1 V2 P3	V1 P2 V2 P3	
3 Port Mono Block	M2	P1 V1 V2 P3	V1 P2 V2 P3	
2 Valve & 3 Port Double Pattern	М3	P1 V2 P2 V1X P2 P3	P1 P2 P3 V1 V2 P3 V2 Front Side	






Dimension

All dimensions are in inches(millimeters) and for reference only. In case of the end connection for Hy-Lok tube fitting, dimensions shown with Hy-Lok nuts in finger-tight position, where applicable.

2 Valve & 3 Port Monoblock

2 Valve & 3 Port Double Pattern



End Connection	O.D	2 Valve & 3 Port Mono Block			3 Port Double Pattern
		L1	L2	L3	L4
Tube Butt Weld (Tube wall, 0.035 in.)	1/4"	1.81 (46.0)	2.79 (70.9)	1.81 (46.0)	0.87 (22.1)
Female ZCR Fitting		2.03 (51.6)	2.66 (67.6)	2.03 (51.6)	1.39 (35.3)
Rotatable Male ZCR Fitting		2.39 (60.7)	3.35 (85.1)	2.39 (60.7)	1.59 (55.5)

The end connection designators are reference on page 8.

2.46 (62.5)

Bottom Mounting Hole

1.06 (26.9)

Example Ordering Information

Ordering No.	DVM1FMF-4-PCO-H	DVHPM2WWW-4-H	DVM3MFF-4-H		
Material	316L VIM / VAR Stainless Steel				
Model Series	Low Pressure, 1/4"	High Pressure, 1/4"	Low Pressure, 1/4"		
Flow Path	2 Valve & 3 port	2 Valve & 3 port	2 Valve & 3 port		
Flow Faul	Monoblock, M1	Monoblock, M2	Double Pattern, M3		
Port No. 1 End Connection	Female ZCR Fitting	Tube Butt Weld	Rotatable Male ZCR Fitting		
Port No. 2 End Connection	Rotatable Male ZCR Fitting	Tube Butt Weld	Female ZCR Fitting		
Port No. 3 End Connection	Female ZCR Fitting	Tube Butt Weld	Female ZCR Fitting		
Valve 1 Actuation Method	Normally Close	Manual Handle, Color White	Manual Handle, Color Blue		
Valve 2 Actuation Method	Normally Open	Manual Handle, Color White	Manual Handle, Color Blue		

Maintenance Kits

To disassemble or assemble the maintenance kits, refer to the Hy-Lok Corporation document no. H-DV100-IM.

Diaphragm Kits



- Two diaphragms are maintenance kits.
- Ordering number is DVDM-4-KITS(1/4" size) DVDM-8-KITS(1/2" and 3/4" size)


Pneumatic Actuator Kits

Ordering number is the following.

Model	Ordering No.	O.D Size	Description
	DV-4-PO	1/4"	Normally Open
Low	DV-4-PC	1/4	Normally Close
Pressure	DV-8-PO	4/0" 0/4"	Normally Open
	DV-8-PC	1/2", 3/4"	Normally Close
High	DVH-4-PO	1/4"	Normally Open
Pressure	DVH-4-PC		Normally Close

⚠ Do not interchange high pressure actuator and low pressure actuator.

Ordering Information



End Connection	Standard	Multiport & Manifold
Male ZCR Fitting	VM	-
Tube Butt Weld	BW	W
Female ZCR Fitting	VF	F
Hy-Lok Tube Fitting	Н	-
Rotatable Male ZCR	RM	M

Pneumatic Actuator

- · Nil Manual Handle
- PO Pneumatic Actuator (Normally Open)
- PC Pneumatic Actuator (Normally Close)
- PCO Valve 1: Normally Close, Valve 2: Normally Open
- POC Valve 1: Normally Open, Valve 2: Normally Close

QUALITY SYSTEM CERTIFICATES



CERTIFICATE NO.GQC 212

ASME SECT III (MO) CERTIFICATE NO. QSC 584

■ TYPE APPROVALS (for Hy-Lok Tube Fittings)



American Bureau Shipping CERTIFICATE NO.00-BK50288-X



Lloyd's Register CERTIFICATE NO.01/10075

SAFETY in VALVE SELECTION

Proper installation, material compatibility, operation and maintenance of these valves are the responsibility of the user. The total system design must be taken into consideration to ensure optimal performance and safety.







