


# Contain-It Fittings

## Containment Coupling - Standard, Split (S x S)




| Size<br>[inch] | code            | Pack Qty | C<br>[inch] | G<br>[inch] | L<br>[inch] | W<br>[inch] | O.D.<br>[inch] | I.D.<br>[inch] |  |
|----------------|-----------------|----------|-------------|-------------|-------------|-------------|----------------|----------------|--|
| 3              | <b>4629-030</b> | 5        | 2.00        | 0.38        | 4.38        | 5.04        | 3.96           | 3.55           |  |
| 4              | <b>4629-040</b> | 5        | 2.00        | 0.38        | 4.38        | 5.81        | 4.69           | 3.88           |  |
| 6              | <b>4629-060</b> | 5        | 2.75        | 0.38        | 5.81        | 8.19        | 6.88           | 5.97           |  |



## Containment Coupling - Extended, Split (S x S)


Maximum Gap: 5.50"

| Size<br>[inch] | code             | Pack Qty | C<br>[inch] | L<br>[inch] | W<br>[inch] | O.D.<br>[inch] | I.D.<br>[inch] |  |
|----------------|------------------|----------|-------------|-------------|-------------|----------------|----------------|--|
| 3              | <b>4629-030E</b> | 5        | 4.50        | 9.00        | 5.04        | 3.96           | 3.55           |  |
| 4              | <b>4629-040E</b> | 5        | 5.00        | 10.00       | 5.81        | 4.69           | 3.88           |  |
| 6              | <b>4629-060E</b> | 5        | 5.75        | 11.50       | 8.19        | 6.88           | 5.97           |  |



## Containment Coupling - Reducing, Split (S x S)


| Size<br>[inch] | code            | Pack Qty | C1<br>[inch] | C2<br>[inch] | L<br>[inch] | W<br>[inch] | O.D.<br>[inch] | I.D.<br>[inch] |  |
|----------------|-----------------|----------|--------------|--------------|-------------|-------------|----------------|----------------|--|
| 6 x 4          | <b>4629-532</b> | 5        | 2.00         | 2.75         | 5.81        | 8.19        | 6.88           | 5.97           |  |






## Containment 90° Ell, Split (SxS)

| Size<br>[inch] | code            | Pack Qty | C<br>[inch] | G<br>[inch] | W<br>[inch] | O.D.<br>[inch] | I.D.<br>[inch] |  |
|----------------|-----------------|----------|-------------|-------------|-------------|----------------|----------------|--|
| 3              | <b>4606-030</b> | 5        | 2.00        | 2.44        | 5.81        | 4.69           | 3.88           |  |
| 4              | <b>4606-040</b> | 5        | 2.00        | 2.44        | 5.81        | 4.69           | 3.88           |  |
| 6              | <b>4606-060</b> | 5        | 2.75        | 3.38        | 8.19        | 6.88           | 5.97           |  |




## Containment 45° Ell, Split (S x S)

| Size<br>[inch] | code            | Pack Qty | C<br>[inch] | G<br>[inch] | W<br>[inch] | O.D.<br>[inch] | I.D.<br>[inch] |  |
|----------------|-----------------|----------|-------------|-------------|-------------|----------------|----------------|--|
| 3              | <b>4617-030</b> | 5        | 2.00        | 2.00        | 5.04        | 3.96           | 3.55           |  |
| 4              | <b>4617-040</b> | 5        | 2.00        | 1.00        | 5.81        | 4.69           | 3.88           |  |
| 6              | <b>4617-060</b> | 5        | 2.75        | 1.75        | 8.19        | 6.88           | 5.97           |  |



## Containment Tee, Split (S x S x S)


| Size<br>[inch] | code            | C<br>[inch] | G<br>[inch] | H<br>[inch] | L<br>[inch] | W<br>[inch] | O.D.<br>[inch] | I.D.<br>[inch] | Pack Qty |  |
|----------------|-----------------|-------------|-------------|-------------|-------------|-------------|----------------|----------------|----------|--|
| 4              | <b>4601-040</b> | 2           | 2           | 7.19        | 9           | 6           | 5              | 4              | 5        |  |
| 6              | <b>4601-060</b> | 3           | 3           | 10.25       | 12          | 8           | 7              | 6              | 5        |  |






## Containment 45° Wye, Split (S x S x S)

| Size<br>[inch] | code            | Pack Qty | C<br>[inch] | G<br>[inch] | GJ<br>[inch] | L<br>[inch] | N<br>[inch] | W<br>[inch] | O.D.<br>[inch] | I.D.<br>[inch] |  |
|----------------|-----------------|----------|-------------|-------------|--------------|-------------|-------------|-------------|----------------|----------------|--|
| 4              | <b>4683-040</b> | 5        | 2.00        | 0.75        | 5.88         | 11.00       | 7.13        | 5.81        | 4.69           | 3.88           |  |
| 6              | <b>4683-060</b> | 5        | 2.75        | 1.81        | 7.75         | 15.19       | 9.75        | 8.19        | 6.88           | 5.97           |  |




## Containment Cap, One Piece (S)


| Size<br>[inch] | code            | Pack Qty | C<br>[inch] | L<br>[inch] | O.D.<br>[inch] |  |
|----------------|-----------------|----------|-------------|-------------|----------------|--|
| 4              | <b>4647-040</b> | 5        | 1.75        | 1.94        | 4.50           |  |
| 6              | <b>4647-060</b> | 5        | 2.75        | 3.19        | 6.75           |  |



## Containment Female Adapter, One Piece (S x FPT)

| Size<br>[inch] | code            | Pack Qty | C<br>[inch] | L<br>[inch] | O.D.<br>[inch] |  |
|----------------|-----------------|----------|-------------|-------------|----------------|--|
| 4              | <b>4635-040</b> | 5        | 1.75        | 3.18        | 5.00           |  |
| 6              | <b>4635-060</b> | 5        | 3.00        | 5.00        | 6.75           |  |





## Plug, One Piece (MPT)

| Size<br>[inch] | code            | Pack Qty |  |
|----------------|-----------------|----------|--|
| 4              | <b>4650-040</b> | 5        |  |
| 6              | <b>4650-060</b> | 5        |  |



## Adapter Sleeve, One Piece (IPS Spg x S)

| Size<br>[inch] | code            | Pack Qty |  |
|----------------|-----------------|----------|--|
| 3 x 3          | <b>4687-030</b> | 10       |  |
| 4 x 4          | <b>4687-040</b> | 10       |  |
| 6 x 6          | <b>4687-060</b> | 10       |  |



## Containment PPFR Floor Drain, One Piece (IPS Spg x MPT)



For use with Fuseal primary piping only.  
Must use 4635-060 for Contain-It transition.

| Size<br>[inch] | code               |  |
|----------------|--------------------|--|
| 3 x 6          | <b>46104-530 *</b> |  |
| 4 x 6          | <b>46104-532 *</b> |  |

# Contain-It Flange Box

## Flange Box

| code          | Size<br>[inch] | A<br>[inch] | B<br>[inch] | C<br>[inch] | D<br>[inch] | E<br>[inch] |  |
|---------------|----------------|-------------|-------------|-------------|-------------|-------------|--|
| 150 991 100 * | 3              | 10          | 12          | 10          | 14.3        | 10          |  |
| 150 991 101 * | 4              | 12          | 14          | 12          | 16.3        | 12          |  |
| 150 991 102 * | 6              | 12          | 14          | 12          | 17.8        | 12          |  |





# Contain-It Terminations

## Termination Fitting - Rigid PVC, Split (S to IPS)




| Size<br>[inch] | code              | C<br>[inch] | L<br>[inch] | W<br>[inch] | O.D.<br>[inch] | I.D.<br>[inch] |  |
|----------------|-------------------|-------------|-------------|-------------|----------------|----------------|--|
| 4 x ½          | <b>4628-415 *</b> | 2.00        | 4.44        | 5.81        | 4.69           | 3.88           |  |
| 4 x ¾          | <b>4628-416 *</b> | 2.00        | 4.44        | 5.81        | 4.69           | 3.88           |  |
| 4 x 1          | <b>4628-417 *</b> | 2.00        | 4.44        | 5.81        | 4.69           | 3.88           |  |
| 4 x 1 ¼        | <b>4628-418</b>   | 2.00        | 4.44        | 5.81        | 4.69           | 3.88           |  |
| 4 x 1 ½        | <b>4628-419</b>   | 2.00        | 4.44        | 5.81        | 4.69           | 3.88           |  |
| 4 x 2          | <b>4628-420</b>   | 2.00        | 4.44        | 5.81        | 4.69           | 3.88           |  |
| 6 x 2 ½        | <b>4628-529 *</b> | 2.75        | 5.81        | 8.19        | 6.88           | 5.97           |  |
| 6 x 3          | <b>4628-530</b>   | 2.75        | 5.81        | 8.19        | 6.88           | 5.97           |  |
| 6 x 4          | <b>4628-532</b>   | 2.75        | 5.81        | 8.19        | 6.88           | 5.97           |  |



## Test Termination Fitting - Rigid PVC, Split (S to IPS)

| Size<br>[inch] | code             | C<br>[inch] | L<br>[inch] | W<br>[inch] | O.D.<br>[inch] | I.D.<br>[inch] |  |
|----------------|------------------|-------------|-------------|-------------|----------------|----------------|--|
| 4 x 2          | <b>4628-420T</b> | 2.00        | 4.44        | 5.81        | 4.69           | 3.88           |  |
| 6 x 4          | <b>4628-532T</b> | 2.75        | 5.81        | 8.19        | 6.88           | 5.97           |  |



## Termination Fitting - Flexible Alcryn, One Piece

Contain-It to IPS/Metric

| Size<br>[inch] | Size | code             |  |
|----------------|------|------------------|--|
| 3 x 2          | 63   | <b>4628-338A</b> |  |
| 4 x ½          | 20   | <b>4628-415A</b> |  |
| 4 x ¾          | 25   | <b>4628-416A</b> |  |
| 4 x 1          | 32   | <b>4628-417A</b> |  |
| 4 x 1 ¼        | 40   | <b>4628-418A</b> |  |
| 4 x 1 ½        | 50   | <b>4628-419A</b> |  |
| 4 x 2          | 63   | <b>4628-420A</b> |  |
| 6 x 2 ½        | 75   | <b>4628-529A</b> |  |
| 6 x 3          | 90   | <b>4628-530A</b> |  |
| 6 x 4          | 110  | <b>4628-532A</b> |  |



## Test Termination Fitting - Flexible Alcryn, One Piece

Contain-It to IPS/Metric

| Size<br>[inch] | Size | code              |  |
|----------------|------|-------------------|--|
| 3 x 2          | 63   | <b>4628-338AT</b> |  |
| 4 x ½          | 20   | <b>4628-415AT</b> |  |
| 4 x ¾          | 25   | <b>4628-416AT</b> |  |
| 4 x 1          | 32   | <b>4628-417AT</b> |  |
| 4 x 1 ¼        | 40   | <b>4628-418AT</b> |  |
| 4 x 1 ½        | 50   | <b>4628-419AT</b> |  |
| 4 x 2          | 63   | <b>4628-420AT</b> |  |
| 6 x 2 ½        | 75   | <b>4628-529AT</b> |  |
| 6 x 3          | 90   | <b>4628-530AT</b> |  |
| 6 x 4          | 110  | <b>4628-532AT</b> |  |



## Termination Fitting - Flexible Alcryn, One Piece

Contain-It to Copper Tube Size

| Size<br>[inch] | code              |  |
|----------------|-------------------|--|
| 4 x ½          | <b>4628-415AC</b> |  |
| 4 x ¾          | <b>4628-416AC</b> |  |
| 4 x 1          | <b>4628-417AC</b> |  |
| 4 x 1 ¼        | <b>4628-418AC</b> |  |
| 4 x 1 ½        | <b>4628-419AC</b> |  |
| 4 x 2          | <b>4628-420AC</b> |  |
| 6 x 2          | <b>4628-528AC</b> |  |
| 6 x 2 ½        | <b>4628-529AC</b> |  |
| 6 x 3          | <b>4628-530AC</b> |  |
| 6 x 4          | <b>4628-532AC</b> |  |



## Test Termination Fitting - Flexible Alcryn, One Piece

Contain-It to Copper Tube Size

| Size<br>[inch] | code               |  |
|----------------|--------------------|--|
| 4 x ½          | <b>4628-415ATC</b> |  |
| 4 x ¾          | <b>4628-416ATC</b> |  |
| 4 x 1          | <b>4628-417ATC</b> |  |
| 4 x 1 ¼        | <b>4628-418ATC</b> |  |
| 4 x 1 ½        | <b>4628-419ATC</b> |  |
| 4 x 2          | <b>4628-420ATC</b> |  |
| 6 x 2          | <b>4628-528ATC</b> |  |
| 6 x 2 ½        | <b>4628-529ATC</b> |  |
| 6 x 3          | <b>4628-530ATC</b> |  |
| 6 x 4          | <b>4628-532ATC</b> |  |

# Contain-It Centralizers

## Centralizer (Contain-It x IPS)



| Size<br>[inch] | d<br>[inch] | code              | Pack Qty |  |
|----------------|-------------|-------------------|----------|--|
| 3 x 2          |             | <b>4686-338 *</b> | 25       |  |
| 4 x ½          |             | <b>4686-415 *</b> | 25       |  |
| 4 x ¾          |             | <b>4686-416 *</b> | 25       |  |
| 4 x 1          |             | <b>4686-417 *</b> | 25       |  |
| 4 x 1 ¼        |             | <b>4686-418 *</b> | 25       |  |
| 4 x 1 ½        |             | <b>4686-419 *</b> | 25       |  |
| 4 x 2          |             | <b>4686-420 *</b> | 25       |  |
| 6 x 2 ½        |             | <b>4686-529 *</b> | 25       |  |
| 6 x 3          |             | <b>4686-530 *</b> | 25       |  |
| 6 x 4          |             | <b>4686-532 *</b> | 25       |  |
| 6 x ½          | Twin        | <b>4686-811 *</b> | 5        |  |
| 6 x ¾          | Twin        | <b>4686-813 *</b> | 5        |  |
| 6 x 1          | Twin        | <b>4686-815 *</b> | 5        |  |

## Centralizer (Contain-It x Copper Tube Size)



| Size<br>[inch] | code               | Pack Qty |  |
|----------------|--------------------|----------|--|
| 4 x ½          | <b>4686-415C *</b> | 10       |  |
| 4 x ¾          | <b>4686-416C *</b> | 10       |  |
| 4 x 1          | <b>4686-417C *</b> | 10       |  |
| 4 x 1 ¼        | <b>4686-418C *</b> | 10       |  |
| 4 x 1 ½        | <b>4686-419C *</b> | 10       |  |
| 4 x 2          | <b>4686-420C *</b> | 10       |  |
| 6 x 2          | <b>4686-528C *</b> | 10       |  |
| 6 x 2 ½        | <b>4686-529C *</b> | 10       |  |
| 6 x 3          | <b>4686-530C *</b> | 10       |  |
| 6 x 4          | <b>4686-532C *</b> | 10       |  |

## Centralizer (Contain-It x Metric)



| Size<br>[inch] | d<br>[inch] | code              | Pack Qty |  |
|----------------|-------------|-------------------|----------|--|
| 4 x 20         |             | <b>4686-712 *</b> | 25       |  |
| 4 x 25         |             | <b>4686-713 *</b> | 25       |  |
| 4 x 32         |             | <b>4686-714 *</b> | 25       |  |
| 4 x 40         |             | <b>4686-715 *</b> | 25       |  |
| 4 x 50         |             | <b>4686-716 *</b> | 25       |  |
| 4 x 63         |             | <b>4686-717 *</b> | 25       |  |
| 6 x 75         |             | <b>4686-719 *</b> | 25       |  |
| 6 x 90         |             | <b>4686-720 *</b> | 25       |  |
| 6 x 110        |             | <b>4686-721 *</b> | 25       |  |
| 6 x 20         | Twin        | <b>4686-812 *</b> | 5        |  |
| 6 x 25         | Twin        | <b>4686-814 *</b> | 5        |  |
| 6 x 32         | Twin        | <b>4686-816 *</b> | 5        |  |