
Section 3

Schedule 40 PVC Piping System

Effective September 27, 2010



+GF+

GEORG FISCHER
PIPING SYSTEMS

Glossary

FPT	=	**Female Pipe Thread**
MPT	=	**Male Pipe Thread**
S	=	**Tapered Socket**
SPG	=	**Spigot End (same dimension as pipe outside diameter)**
*****	=	**Non-Returnable / Non-cancellable**
^	=	**40% Restocking Fee**
BUSH	=	**Assembled Fitting from Molded Components**
FAB	=	**Fabricated Fitting**

Product Line	Description	Discount
45	**PVC Pressure Pipe - 20 ft. lengths Plain End**	_____
47	**PVC Pressure Pipe - 20 ft. lengths Bell End**	_____
01	**PVC Pressure Fittings - Molded**	_____
02	**PVC Pressure LD Fittings-Molded**	_____

The technical information given in this publication implies no warranty of any kind and is subject to change without notice. Please consult our Terms and Conditions of Sale.

For complete technical information, please consult the GF Piping Systems' Technical Manual available online at www.gfpiping.com or by calling (800) 854-4090.

For more information about any of our product lines, please call (800) 854-4090.

Schedule 40 PVC

		Page
	Schedule 40 PVC Pressure Pipe	3.5
	Schedule 40 PVC Pressure Fittings	3.6

Specifications and Standards

Specifications and Standards

NSF/ANSI Standard 14


NSF/ANSI Standard 61

ASTM D 1784	:	Material PVC Type I, Grade I White (cell classification 12454)
ASTM D 1785	:	PVC Schedule 40 Pipe
ASTM D 2466	:	PVC Schedule 40 Socket and Threaded Fittings
ASTM F 1498	:	PVC Schedule 40 Taper Threads
ASTM D 2672	:	PVC Schedule 40 Tapered Sockets for Bell End Pipe
ANSI B1.20.1	:	PVC Schedule 40 NPT Threads

Schedule 40 PVC Pressure Pipe


PVC40 - 20 ft. lengths





Size [inch]	Plain End (P/L 45) Part No.	Bell End (P/L 47) Part No.
6	**4004-060AB ***	**4004-060BB ***
8	**4004-080AB ***	**4004-080BB ***
10	**4004-100AB ***	**4004-100BB ***
12	**4004-120AB ***	**4004-120BB ***

Size [inch]	Lift Qty [ft]	Average O.D. [inch]	min. wall [inch]	A-Socket Entrance (Belled Pipe)	B-Socket Bottom (Belled Pipe)	C-Min. (Belled Pipe)
6	220	6.625	0.280	6.647±0.011	6.603±0.011	6.000
8	100	8.625	0.322	8.655±0.015	8.598±0.015	6.000
10	80	10.750	0.365	10.776±0.015	10.722±0.015	7.500
12	60	12.750	0.406	12.778±0.015	12.721±0.015	8.500



^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable

Schedule 40 PVC Pressure Fittings

Tee (S x S x S)



Size	P/L	Part No.	Pack Qty	
½	01	**401-005**	50	
¾	01	**401-007**	50	
1	01	**401-010**	50	
1 ¼	01	**401-012**	25	
1 ½	01	**401-015**	25	
2	01	**401-020**	25	
2 ½	01	**401-025**	10	
3	01	**401-030**	10	
4	01	**401-040**	5	
6	01	**401-060**	4	
8	01	**401-080**	2	
10	02	**401-100**	1	
12	02	**401-120**	1	

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



Reducing Tee (S x S x S)

Size [inch]	P/L	Part No.	Pack Qty
¾ x ½ x ½	01	**401-094**	50
¾ x ½ x ¾	01	**401-095**	50
¾ x ¾ x ½	01	**401-101**	50
¾ x ¾ x 1	01	**401-102**	50
1 x ½ x 1	01	**401-122**	50
1 x ¾ x ¾	01	**401-125**	50
1 x ¾ x 1	01	**401-126**	50
1 x 1 x ½	01	**401-130**	50
1 x 1 x ¾	01	**401-131**	50
1 x 1 x 1 ¼	01	**401-132**	50
1 x 1 x 1 ½	01	**401-133**	25
1 ¼ x 1 x ¾	01	**401-157**	25
1 ¼ x 1 x 1	01	**401-158**	25
1 ¼ x 1 ¼ x ½	01	**401-166**	25
1 ¼ x 1 ¼ x ¾	01	**401-167**	25
1 ¼ x 1 ¼ x 1	01	**401-168**	25
1 ½ x 1 ½ x ½	01	**401-209**	25
1 ½ x 1 ½ x ¾	01	**401-210**	25
1 ½ x 1 ½ x 1	01	**401-211**	25
1 ½ x 1 ½ x 1 ¼	01	**401-212**	25
2 x 1 ½ x ¾	01	**401-238**	10
2 x 1 ½ x 1	01	**401-239**	10
2 x 2 x ½	01	**401-247**	10
2 x 2 x ¾	01	**401-248**	10
2 x 2 x 1	01	**401-249**	10
2 x 2 x 1 ¼	01	**401-250**	10
2 x 2 x 1 ½	01	**401-251**	10
2 ½ x 2 ½ x ¾	01	**401-288**	10
2 ½ x 2 ½ x 1	01	**401-289**	10
2 ½ x 2 ½ x 1 ¼	01	**401-290**	10
2 ½ x 2 ½ x 1 ½	01	**401-291**	10
2 ½ x 2 ½ x 2	01	**401-292**	10
3 x 3 x ¾	01	**401-334**	10
3 x 3 x 1	01	**401-335**	10
3 x 3 x 1 ¼	01	**401-336**	10
3 x 3 x 1 ½	01	**401-337**	10
3 x 3 x 2	01	**401-338**	10
4 x 4 x ¾	01	**401-416**	4
4 x 4 x 1	01	**401-417**	4
4 x 4 x 1 ¼	01	**401-418**	5
4 x 4 x 1 ½	01	**401-419**	5
4 x 4 x 2	01	**401-420**	5
4 x 4 x 3	01	**401-422**	5
6 x 6 x 2	01	**401-528**	5
6 x 6 x 3	01	**401-530**	5
6 x 6 x 4	01	**401-532**	5
8 x 8 x 4	01	**401-582**	2
8 x 8 x 6	01	**401-585**	2
10 x 10 x 4	02	**401-623**	1
10 x 10 x 6	02	**401-626**	1
10 x 10 x 8	02	**401-628**	1
12 x 12 x 4	02	**401-664**	1
12 x 12 x 6	02	**401-666**	1
12 x 12 x 8	02	**401-668**	1
12 x 12 x 10	02	**401-670**	1

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



Tee (S x S X FPT)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**402-005**	50
¾	01	**402-007**	50
1	01	**402-010**	50
1 ¼	01	**402-012**	25
1 ½	01	**402-015**	25
2	01	**402-020**	10
3	01	**402-030**	10
4	01	**402-040**	5



Reducing Tee (S x S x FPT)

Size [inch]	P/L	Part No.	Pack Qty
¾ x ¾ x ½	01	**402-101**	50
1 x 1 x ½	01	**402-130**	50
1 x 1 x ¾	01	**402-131**	50
1 ¼ x 1 ¼ x ¾	01	**402-167**	25
1 ¼ x 1 ¼ x 1	01	**402-168**	25
1 ½ x 1 ½ x ½	01	**402-209**	25
1 ½ x 1 ½ x ¾	01	**402-210**	25
1 ½ x 1 ½ x 1	01	**402-211**	25
1 ½ x 1 ½ x 1 ¼	01	**402-212**	25
2 x 2 x ½	01	**402-247**	10
2 x 2 x ¾	01	**402-248**	10
2 x 2 x 1	01	**402-249**	10
2 x 2 x 1 ¼	01	**402-250**	10
2 x 2 x 1 ½	01	**402-251**	10
2 ½ x 2 ½ x 1 ½	01	**402-291**	10
2 ½ x 2 ½ x 2	01	**402-292**	10
3 x 3 x 1 ½	01	**402-337**	10
3 x 3 x 2	01	**402-338**	10
4 x 4 x 1 ½	01	**402-419**	5
4 x 4 x 2	01	**402-420**	5
4 x 4 x 3	01	**402-422**	5
6 x 6 x 3	01	**402-530**	5
6 x 6 x 4	01	**402-532**	5



Tee (FPT x FPT x FPT)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**405-005**	50
¾	01	**405-007**	50
1	01	**405-010**	50
1 ¼	01	**405-012**	25
1 ½	01	**405-015**	25

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



90° Ell (S x S)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**406-005**	50
¾	01	**406-007**	50
1	01	**406-010**	50
1 ¼	01	**406-012**	25
1 ½	01	**406-015**	25
2	01	**406-020**	25
2 ½	01	**406-025**	10
3	01	**406-030**	10
4	01	**406-040**	5
6	01	**406-060**	4
8	01	**406-080**	3
10	02	**406-100**	1
12	02	**406-120**	1



Reducing 90° Ell (S x S)

Size [inch]	P/L	Part No.	Pack Qty
¾ x ½	01	**406-101**	50
1 x ½	01	**406-130**	50
1 x ¾	01	**406-131**	50



90° Ell (S x FPT)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**407-005**	50
¾	01	**407-007**	50
1	01	**407-010**	50
1 ¼	01	**407-012**	25
1 ½	01	**407-015**	25
2	01	**407-020**	10
2 ½	01	**407-025**	10
3	01	**407-030**	10
4	01	**407-040**	5



Reducing 90° Ell (S x FPT)

Size [inch]	P/L	Part No.	Pack Qty
¾ x ½	01	**407-101**	50
1 x ½	01	**407-130**	50
1 x ¾	01	**407-131**	50
1 ¼ x 1	01	**407-168**	25
1 ½ x 1	01	**407-211**	25
1 ½ x 1 ¼	01	**407-212**	25
2 x 1	01	**407-249**	25
2 x 1 ¼	01	**407-250**	10
2 x 1 ½	01	**407-251**	10

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



90° Ell (FPT x FPT)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**408-005 ^**	50
¾	01	**408-007 ^**	50
1	01	**408-010 ^**	50
1 ¼	01	**408-012 ^**	25
1 ½	01	**408-015 ^**	25
2	01	**408-020 ^**	10



90° Street Ell (S x SPG)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**409-005**	50
¾	01	**409-007**	50
1	01	**409-010**	50
1 ¼	01	**409-012**	25
1 ½	01	**409-015**	25
2	01	**409-020**	10
2 ½	01	**409-025**	10
3	01	**409-030**	10



90° Street Ell (S x MPT)

Size	P/L	Part No.	Pack Qty
½	01	**410-005 ^**	50
¾	01	**410-007 ^**	50
1	01	**410-010 ^**	50
1 ¼	01	**410-012 ^**	25
1 ½	01	**410-015 ^**	25
2	01	**410-020 ^**	10



90° Street Ell (FPT x MPT)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**412-005 ^**	50
¾	01	**412-007 ^**	50
1	01	**412-010 ^**	50
1 ¼	01	**412-012 ^**	25
1 ½	01	**412-015 ^**	25



Side Outlet Elbow (S x S x S)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**413-005 ^**	50
¾	01	**413-007 ^**	50
1	01	**413-010 ^**	25
1 ½	01	**413-015 ^**	25
2	01	**413-020 ^**	10

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



45° Ell (S x S)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**417-005**	50
¾	01	**417-007**	50
1	01	**417-010**	50
1 ¼	01	**417-012**	25
1 ½	01	**417-015**	25
2	01	**417-020**	25
2 ½	01	**417-025**	10
3	01	**417-030**	10
4	01	**417-040**	5
6	01	**417-060**	4
8	01	**417-080**	4
10	02	**417-100**	1
12	02	**417-120**	1



Cross (S x S x S x S)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**420-005 ^**	50
¾	01	**420-007 ^**	50
1	01	**420-010 ^**	50
1 ¼	01	**420-012 ^**	25
1 ½	01	**420-015 ^**	25
2	01	**420-020 ^**	10
2 ½	01	**420-025 ^**	8
3	01	**420-030 ^**	10
4	01	**420-040 ^**	5



Reducing Cross (S x S x S x S)

Size [inch]	P/L	Part No.	Pack Qty
3 x 1 ½	01	**420-337 ^**	10
3 x 2	01	**420-338 ^**	10
4 x 1 ½	01	**420-419 ^**	5
4 x 2	01	**420-420 ^**	5

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



Coupling (S x S)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**429-005**	100
¾	01	**429-007**	50
1	01	**429-010**	50
1 ¼	01	**429-012**	25
1 ½	01	**429-015**	25
2	01	**429-020**	25
2 ½	01	**429-025**	10
3	01	**429-030**	10
4	01	**429-040**	5
6	01	**429-060**	5
8	01	**429-080**	4
10	02	**429-100**	2
12	02	**429-120**	1



Reducing Coupling (S x S)

Size [inch]	P/L	Part No.	Pack Qty
¾ x ½	01	**429-101**	50
1 x ¾	01	**429-131**	50
1 ¼ x 1	01	**429-168**	25
1 ½ x 1 ¼	01	**429-212**	25
2 x 1 ½	01	**429-251**	10
3 x 2	01	**429-338**	5
4 x 3	01	**429-422**	4
6 x 4	01	**429-532**	4
8 x 4	01	**429-582**	4
8 x 6	01	**429-585**	4
10 x 6	02	**429-626**	1
10 x 8	02	**429-628**	1
12 x 8	02	**429-668**	1
12 x 10	02	**429-670**	1



Coupling (FPT x FPT)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**430-005 ^**	100
¾	01	**430-007 ^**	50
1	01	**430-010 ^**	50
2	01	**430-020 ^**	25

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



Female Adapter (S x FPT)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**435-005**	100
¾	01	**435-007**	50
1	01	**435-010**	50
1 ¼	01	**435-012**	25
1 ½	01	**435-015**	25
2	01	**435-020**	25
2 ½	01	**435-025**	10
3	01	**435-030**	10
4	01	**435-040**	5
6	01	**435-060**	4
8	01	**435-080**	4



Reducing Female Adapter (S x FPT)

Size [inch]	P/L	Part No.	Pack Qty
¾ x ½	01	**435-101**	50
¾ x 1	01	**435-102**	50
1 x ¾	01	**435-131**	50
1 x 1 ½	01	**435-211**	25



Male Adapter (MPT x S)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**436-005**	100
¾	01	**436-007**	50
1	01	**436-010**	50
1 ¼	01	**436-012**	25
1 ½	01	**436-015**	25
2	01	**436-020**	25
2 ½	01	**436-025**	10
3	01	**436-030**	10
4	01	**436-040**	5
6	01	**436-060**	4
8	01	**436-080**	4



Reducing Male Adapter (MPT x S)

Size [inch]	P/L	Part No.	Pack Qty
½ x ¾	01	**436-074**	50
¾ x ½	01	**436-101**	50
¾ x 1	01	**436-102**	50
1 x ¾	01	**436-131**	50
1 x 1 ¼	01	**436-132**	25
1 ¼ x 1	01	**436-168**	25
1 ¼ x 1 ½	01	**436-169**	25
1 ½ x 1 ¼	01	**436-212**	25
1 ½ x 2	01	**436-213**	10
2 x 1 ½	01	**436-251**	10

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



Reducer Bushing (SPG x S)

Size [inch]	P/L	Part No.	Pack Qty
¾ x ½	01	**437-101**	100
1 x ½	01	**437-130**	100
1 x ¾	01	**437-131**	100
1 ¼ x ½	01	**437-166**	25
1 ¼ x ¾	01	**437-167**	25
1 ¼ x 1	01	**437-168**	25
1 ½ x ½	01	**437-209**	25
1 ½ x ¾	01	**437-210**	25
1 ½ x 1	01	**437-211**	25
1 ½ x 1 ¼	01	**437-212**	25
2 x ½	01	**437-247**	10
2 x ¾	01	**437-248**	10
2 x 1	01	**437-249**	10
2 x 1 ¼	01	**437-250**	10
2 x 1 ½	01	**437-251**	25
2 ½ x 1	01	**437-289**	10
2 ½ x 1 ¼	01	**437-290**	10
2 ½ x 1 ½	01	**437-291**	10
2 ½ x 2	01	**437-292**	10
3 x 1	01	**437-335**	10
3 x 1 ¼	01	**437-336**	10
3 x 1 ½	01	**437-337**	10
3 x 2	01	**437-338**	10
3 x 2 ½	01	**437-339**	10
4 x 2	01	**437-420**	5
4 x 2 ½	01	**437-421**	5
4 x 3	01	**437-422**	5
6 x 3	01	**437-530**	5
6 x 4	01	**437-532**	5
8 x 4	01	**437-582**	5
8 x 6	01	**437-585**	5
10 x 3	02	**437-622**	1
10 x 4	02	**437-623**	1
10 x 6	02	**437-626**	1
10 x 8	02	**437-628**	1
12 x 3	02	**437-661**	1
12 x 4	02	**437-664**	1
12 x 6	02	**437-666**	1
12 x 8	02	**437-668**	1
12 x 10	02	**437-670**	1

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



Reducer Bushing (SPG x FPT)

Size [inch]	P/L	Part No.	Pack Qty
½ x ¼	01	**438-072**	100
½ x ⅜	01	**438-073**	100
¾ x ¼	01	**438-098**	50
¾ x ½	01	**438-101**	100
1 x ½	01	**438-130**	100
1 x ¾	01	**438-131**	100
1 ¼ x ½	01	**438-166**	25
1 ¼ x ¾	01	**438-167**	25
1 ¼ x 1	01	**438-168**	25
1 ½ x ½	01	**438-209**	25
1 ½ x ¾	01	**438-210**	25
1 ½ x 1	01	**438-211**	25
1 ½ x 1 ¼	01	**438-212**	25
2 x ½	01	**438-247**	10
2 x ¾	01	**438-248**	10
2 x 1	01	**438-249**	10
2 x 1 ¼	01	**438-250**	10
2 x 1 ½	01	**438-251**	10
2 ½ x 1 1	01	**438-291**	10
2 ½ x 2	01	**438-292**	10
3 x 1 ½	01	**438-337**	10
3 x 2	01	**438-338**	10
3 x 2 ½	01	**438-339**	10
4 x 2	01	**438-420**	5
4 x 2 ½	01	**438-421**	5
4 x 3	01	**438-422**	5
6 x 4	01	**438-532**	5



Reducer Bushing (MPT x FPT)

Size [inch]	P/L	Part No.	Pack Qty
½ x ¼	01	**439-072 ^**	50
½ x ⅜	01	**439-073 ^**	50
¾ x ¼	01	**439-098 ^**	50
¾ x ½	01	**439-101 ^**	50
1 x ½	01	**439-130 ^**	50
1 x ¾	01	**439-131 ^**	50
1 ¼ x ½	01	**439-166 ^**	25
1 ¼ x ¾	01	**439-167 ^**	25
1 ¼ x 1	01	**439-168 ^**	25
1 ½ x ½	01	**439-209 ^**	25
1 ½ x ¾	01	**439-210 ^**	25
1 ½ x 1	01	**439-211 ^**	25
1 ½ x 1 ¼	01	**439-212 ^**	25
2 x 1	01	**439-249 ^**	10
2 x 1 ¼	01	**439-250 ^**	10
2 x 1 ½	01	**439-251 ^**	10
2 ½ x 2	01	**439-292 ^**	10
3 x 2	01	**439-338 ^**	5

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



Cap (S)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**447-005**	100
¾	01	**447-007**	100
1	01	**447-010**	50
1 ¼	01	**447-012**	25
1 ½	01	**447-015**	25
2	01	**447-020**	25
2 ½	01	**447-025**	10
3	01	**447-030**	10
4	01	**447-040**	5
6	01	**447-060**	5
8	01	**447-080**	4
10	02	**447-100**	1
12	02	**447-120**	1



Cap (FPT)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**448-005 ^**	100
¾	01	**448-007 ^**	100
1	01	**448-010 ^**	50
1 ¼	01	**448-012 ^**	25
1 ½	01	**448-015 ^**	25
2	01	**448-020 ^**	10
2 ½	01	**448-025 ^**	10
3	01	**448-030 ^**	10
4	01	**448-040 ^**	5
6	01	**448-060 ^**	5



Plug (SPG)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**449-005**	50
¾	01	**449-007**	50
1	01	**449-010**	50
1 ¼	01	**449-012**	25
1 ½	01	**449-015**	25
2	01	**449-020**	10
2 ½	01	**449-025**	10
3	01	**449-030**	10
4	01	**449-040**	5

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable



Plug (MPT)

Size [inch]	P/L	Part No.	Pack Qty
½	01	**450-005**	50
¾	01	**450-007**	50
1	01	**450-010**	50
1 ¼	01	**450-012**	25
1 ½	01	**450-015**	25
2	01	**450-020**	10
2 ½	01	**450-025**	10
3	01	**450-030**	10
4	01	**450-040**	5



Union (S x S)

150 psi @ 73ºF (10.3 bar @ 22.7ºC)

Size [inch]	P/L	Buna-N Part No.	Pack Qty
½	01	**457-005**	10
¾	01	**457-007**	10
1	01	**457-010**	10
1 ¼	01	**457-012**	5
1 ½	01	**457-015**	5
2	01	**457-020**	5



Union (FPT x FPT)

150 psi @ 73ºF (10.3 bar @ 22.7ºC)

Size [inch]	P/L	Buna-N Part No.	Pack Qty
½	01	**458-005 ^**	10
¾	01	**458-007 ^**	10
1	01	**458-010 ^**	10
1 ¼	01	**458-012 ^**	5
1 ½	01	**458-015 ^**	5
2	01	**458-020 ^**	5

^ = 40% Restock Charge
* = Non-Cancelable/Non-Returnable

GF Piping Systems

PVC Pressure Piping System
Specification Submittal Data Sheet
Schedule 40 Pipe and Fittings

Pipe

Pipe will be manufactured to the dimensions and tolerances of ASTM D1785. Belled end pipe bells shall be manufactured to the dimensions and tolerances of ASTM D2672. The PVC material shall be Type I, Grade I with a cell classification of 12454 and conform to ASTM D1784. The pipe will conform to NSF 14 & 61, and UPC® standards.

- ❑ PVC Sch.40 Type I, Group I Plain End Pipe - 20 ft. Lengths
- ❑ PVC Sch.40 Type I, Group I Belled End Pipe - 20 ft. Lengths

Fittings

Socket type molded fittings will be manufactured to the dimensions and tolerances of ASTM D2466. Threaded type (NPT) molded fittings will be manufactured to the dimensions and tolerances of ASTM D2466 and meet the requirements of ANSI/ ASME B 1.20.1. The PVC material shall be Type I, Grade I with a cell classification of 12454 and conform to ASTM D1784. The fittings will conform to NSF 14 & 61, and UPC® standards.

- ❑ PVC Sch.40 Type I, Grade I Socket Type
- ❑ PVC Sch.40 Type I, Grade I Threaded Type

Job Name: _____

Job Location: _____

Engineer: _____

Contractor: _____

Representative: _____

+GF+

GEORG FISCHER
PIPING SYSTEMS